

IP & AHD CAMERA NVR, DVR, XVR

تجربه ، کیفیت و نوآوری



گار انتی شرکت افروز ساز ان















RESOLATION:5MP SENSOR:SONY 335 LENS:4MM YTOT IR DISTANCE:40M OTHER: WARMLIGHT.H.265+. IP66 INTERNAL AUDIO, SD MEMORY FACE DETECTION, HUMAN DETECTION



NVR



NVR-6008-MS PREVIEW:8CH 5MP/4CH 5MP PLAY BACK:1CH MAIN,8CH SUB / 1CH MAIN, 4CH SUB HARD: 1HARD TO 6T OUTPUT: HDMI, VGI MOTION DETECTION **WIRELESS MOUSE**

NVR



NVR-6816-4K PREVIEW:16CH 5MP/8CH 8MP PLAY BACK:1CH MAIN.16CH SUB / 1CH MAIN, 8CH SUB HARD: 1HARD TO 6T OUTPUT: HDMI.VGI OTHER: MOTION DETECTION. WIRELESS MOUSE

NVR



NVR-9432 PREVIEW: 32CH 4MP/ 16CH 8MP

HARD: 2HARD TO 6T OUTPUT:HDMI,VGI/H.265+ FACEDETACTION, P2P SUPPORT AUDIO SUPPORT, 4K

PLAY BACK: 4CH 2MP / 2CH 5MP

NVR



NVR-5232-4K

PREVIEW: 32CH 5MP/ 16CH 8MP PLAY BACK: 8CH / 1CH HARD: 2HARD TO 6T OUTPUT: HDMI.VGI MOTION DETECTION WIRELESS MOUSE

ΙP CAMERA



DN-944F

RESOLATION: 4MP CHIPSET: FUI HAN LENS:3.6MM IR DISTANCE:30M IP66/15 LED



DN-944X-H

RESOLATION:4MP CHIPSET: FUI HAN LENS:36MM IR DISTANCE:30M WARMLIGHT

IP **CAMERA**



BN-903-Y53

WARMLIGHT

RESOLATION:3MP CHIPSET: FULHAN **IFNS:4MM**

WARMLIGHT, HUMAN DETEC-

TION, IP66,

INTERNAL AUDIO

ΙP





BN-904FK **RESOLATION:4MP**

CHIPSET: FULHAN LENS:4MM

IR DISTANCE:40M

WARMLIGHT,

HUMAN DETECTION, IP66,

INTERNAL AUDIO

ΙP **CAMERA**



BN-905ZS

RESOLATION:5MP SENSOR:SONY 335 LENS:4MM YTOT IR DISTANCE:40M STARLIGHT, SMART, H.265+ HUMANDETECTION, INTERNAL AUDIO



BN-905-H5

RESOLATION:5MP SENSOR:SONY335 LENS:4MM YTOT IR DISTANCE:60M

BIG CASE, WARMLIGHT

.SMART. HUMANDETECTION

XVR



XVR-8308BS

PREVIEW: 8CH 2MP(1080N) PLAY BACK:8CH 2MP(1080N) HARD: 1HARD TO 6T

OUTPUT:HDMI,VGI,BNC XVR VIEW , SMART PLAYBACK, 2CH AUDIO

XVR



XVR-8308EN

PREVIEW: 8CH 5MP PLAY BACK:8CH 5MP HARD: 1HARD TO 6T OUTPUT:HDMI,VGI,BNC XVR VIEW, SMART PLAY-BACK,4CH AUDIO, WIRELESS MOUSE

XVR



XVR-6008M

PREVIEW:8CH 4MP PLAY BACK:8CH 4MP HARD: 1HARD TO 6T OUTPUT:HDMI,VGI P2P SUPPORT(P6SPRO), 4CH AUDIO

XVR



XVR-8608AI

PREVIEW :8CH 8MP PLAYBACK : 8CH 8MP

HARD: 1HARD TO 6T/5CH 4MP

OUTPUT: HDMI,VGI

OTHER:FACEDETACTION,P2P

SUPPORT, 4CH AUDIO

XVR



XVR-8416B

PREVIEW:16CH 5MP PLAYBACK:16CH 5MP HARD:2HARD TO 6T OUTPUT:HDMI,VGI

OTHER:FACEDETACTION,P2P

SUPPORT, 4CH AUDIO

XVR



XVR-8532XN

PREVIEW:32CH 5MP PLAY BACK:16CH 5MP 8CH 4MP

HARD: 2 HARD UP TO 8T

OUTPUT:HDMI,VGI

P2P SUPPORT(XMEYE) , 16CH AUDIO, H264,H265,ALARM



RESOLATION: 2MP SENSOR: F37 LENS:4MM IR DISTANCE:40M WARMLIGHT

AHD CAMERA **BN-802Z**

RESOLATION .2MP

SENSOR: F33 IENS:4MM

IR DISTANCE:40M

AHD CAMERA



BN-802SP RESOLUTION: 2MP SENSOR:F33 **IENS:4MM** IR DISTANCE:40M

AHD CAMERA



BN-802-BF **RESOLUTION:2MP** SENSOR:F33 **IFNS:4MM** IR DISTANCE:40M

XVR



XVR-8304BS PREVIEW:4CH 2MP(1080N) PLAY BACK: 2CH 2MP(1080N) HARD: 1HARD TO 6T OUTPUT: HDMI.VGI.BNC XVR VIEW, SMART PLAYBACK, 2CH AUDIO

XVR



XVR-8304EN PREVIEW:4CH 5MP PLAY BACK:4CH 5MP HARD: 1HARD TO 6T OUTPUT: HDMI, VGI, BNC XVR VIEW, SMART PLAY-BACK.2CH AUDIO. **WIRELESS MOUSE**





DN-842-H51

WARMLIGHT

RESOLATION: 2MP SFNSOR:F33

LENS: 3.6MM

IR DISTANCE:30M

WARMLIGHT

AHD CAMERA



DN-844X

WARMLIGHT **RESOLATION: 4MP**

CHIPSET FULHAN

LENS:3.6MM IR DISTANCE:30M

WARMLIGHT

AHD CAMERA



WARMLIGHT

BN-802-Z33

RESOLATION: 2MP

SENSOR: F33

LENS:4MM

IR DISTANCE:40M

OTHERS: BIG CASE

WARMLIGHT

AHD

CAMERA



WARMLIGHT

BN-802Y-33

RESOLATION: 2MP

SFNSOR:F33

IFNS 4MM

IR DISTANCE:40M

WARMLIGHT

AHD CAMERA



BN-804TK

RESOLATION: 4MP CHIPSET: FULHAN

IR DISTANCE:40M

OTHERS: OSD MENU

WARMLIGHT

LENS:4MM

AHD CAMERA



BN-802V

RESOLATION: 2MP SENSOR:F33

LENS: 2.8/12MM

IR DISTANCE:60M

VARIFOCAL