S.vision

IP & AHD CAMERA

NVR,DVR,XVR

Product Catalogue 2022

IRANIAN CCTV PRODUCTION

MADE IN IRAN

International Organization for Standardization

ISO 9001

GUARANTEE

افروزسازان

AFROOZSAZAN

گارانتی شرکت افروز سازان

WARMLIGHT

Duallight

Starlight

SUPER STARLIGHT

ECONOMIC

POE

AHD CAMERA

J-8261-H51

WARMLIGHT

2MP |F33 |3.6MM |30M

AHD CAMERA

J-8261XN

WARMLIGHT

2MP |F33 |3.6MM |30M

AHD CAMERA

J-8261P4

OSD MENU

4MP |FULHAN |3.6MM YTOT
30M |4 in 1 |IP66

AHD CAMERA

J-8216SP

2MP |F33 |3.6MM |40M

AHD CAMERA

J-8216-X37

WARMLIGHT

2MP |FULHAN |3.6MM |40M

AHD CAMERA

J-8216-k33

WARMLIGHT

2MP |F33 |3.6MM |40M

AHD CAMERA

J-8216V2

4 IN 1

VARIFOCAL

2MP |F33 |2.8-12 |60M

AHD CAMERA

J-8216W4

WARMLIGHT

OSD MENU

4MP |FULHAN|4MM YTOT |60M

XVR

S-7304BS

preview : 4ch 2mp(1080N)
playback : 2ch 2mp(1080N)
output : 1VGA , 1HDMI
hard : 1 hard up to 6t
p2p support

XVR

S-7304EN

preview : 4ch 5mp
playback : 4ch 5mp
output : 1VGA , 1HDMI
hard : 1 hard up to 6t
p2p support
WIRELESS MOUSE

XVR

S-2604AI

preview : 4ch 8mp
playback : 4ch 8mp
output : 1VGA , 1HDMI
hard : 1 hard up to 6t
p2p support
face detection

XVR

S-2608AI

preview : 8ch 8mp
playback : 8ch 8mp
output : 1VGA , 1HDMI
hard : 1 hard up to 6t
p2p support
face detection

XVR

S-7308BS

preview : 8ch 2mp(1080N)
playback : 4ch 2mp(1080N)
output : 1VGA , 1HDMI
hard : 1 hard up to 6t
p2p support (XVR VIEW)

XVR

S-7308EN

preview : 8ch 5mp
playback : 8ch 5mp
output : 1VGA , 1HDMI , BNC
hard : 1 hard up to 6t
p2p support , xvr view ,
smart playback , 1ch audio,
WIRELESS MOUSE

XVR

S-7316EN

preview : 16ch 5mp
playback : 8ch 5mp
output : 1VGA , 1HDMI , BNC
hard : 2 hard up to 6t
p2p support , xvr view,
smart playback , 2ch audio

XVR

S-2832XN

preview : 32ch 5mp 4 IN 1
playback : 16ch 4mp/8ch 5mp
output : 1VGA , 1HDMI
hard : 2 hard up to 8TRA
p2p support(XMEYE) , 16ch
audio, H264,H265, ALARM

IP CAMERA

P-D343-H53

RESOLATION : 3MP
CHIPSET : FULHAN
LENS : 3.6MM
IR DISTANCE : 30M
IP66, HUMAN DETECTION ,
INTERNAL AUDIO

IP CAMERA

WARMLIGHT

P-D344X-H

RESOLATION : 4MP
CHIPSET : FULHAN
LENS : 3.6MM
IR DISTANCE : 30M
WARMLIGHT
INTERNAL AUDIO

IP CAMERA

Starlight

POE

P-D345DP

RESOLATION : 5MP
SENSOR : SONY335
LENS : 3.6MM
IR DISTANCE : 30M
SMART , STARLIGHT ,IP66,
POE, INTERNAL AUDIO

IP CAMERA

WARMLIGHT

P-D5150-H12

RESOLATION : 5MP | 30FPS
SENSOR : SONY335
LENS : 3.6MM
IR DISTANCE : 30M
SMART , STARLIGHT ,IP66,
WARMLIGHT

IP CAMERA

WARMLIGHT

P-S703-K53

RESOLATION : 3MP
CHIPSET : FULHAN
LENS : 4MM
IR DISTANCE : 40M
WARMLIGHT,
HUMAN DETECTION,IP66

IP CAMERA

P-S104FM

RESOLATION : 4MP
CHIPSET : FULHAN
LENS : 3.6MM YTOT
IR DISTANCE : 40M
HUMAN DETECTION,IP66

IP CAMERA

P-S204-DL

Duallight

RESOLATION : 4MP
CHIPSET : FULHAN
LENS : 4MM
IR DISTANCE : 40M
DUALLIGHT
HUMAN DETECTION,IP66

IP CAMERA

P-S704FW-AI

WARMLIGHT

RESOLATION : 4MP
CHIPSET : FULHAN
LENS : 4MM
IR DISTANCE : 40M
WARMLIGHT ,AI ,IP66,
INTERNAL AUDIO,
ELECTRONIC FENCE,
CROSS BORDER DETECTION,
PASSENGER FLOW STATISTICS, LIGHT
ALARM, MOTION

IP CAMERA

P-S704-FD

WARMLIGHT

RESOLUTION : 4MP
CHIPSET : FULHAN
LENS : 4MM
IR DISTANCE : 60M
WARMLIGHT ,IP66
HUMAN DETECTION,
INTERNAL AUDIO

IP CAMERA

P-S705-P12-A

RESOLATION : 5MP
SENSOR : SONY 335
LENS : 4MM YTOT
IR DISTANCE : 40M
STARLIGHT, IP66, INTERNAL
AUDIO ,HUMAN DETECTION 2
WAY AUDIO , ALARM

IP CAMERA

P-S5060FS-SD

RESOLATION : 5MP
SENSOR : SONY335
LENS : 4MM YTOT
IR DISTANCE : 40M
WARMLIGHT,H265+,IP66
INTERNAL AUDIO
FACE DETECTION
HUMAN DETECTION
SD MEMORY

WARMLIGHT

IP CAMERA

P-S705KS

WARMLIGHT

RESOLATION : 5MP
SENSOR : SONY 335
LENS : 4MM YTOT
IR DISTANCE : 60M
WARMLIGHT,SMART,IP66,
STARLIGHT,INTERNAL AUDIO

IP CAMERA

WARMLIGHT

P-S208WS

RESOLATION : 8MP
SENSOR : SONY 415
LENS : 4MM
IR DISTANCE : 60M
WARMLIGHT,
BIG CASE,IP66, WDR

IP CAMERA

Starlight

P-S208D

RESOLATION : 8MP
SENSOR : SONY415
LENS : 4MM
IR DISTANCE : 60M
STARLIGHT, 60FPS 2MP/30FPS
5MP/20FPS 8MP, WDR

NVR

N-4408-MS

PREVIEW : 8CH 5MP
PLAYBACK : 1CH MAIN , 8CH
SUB/1CH MAIN 4CH SUB
OUTPUT : 1VGA , 1HDMI
HARD : 1 HARD UP TO 6T
MOTION DETECTION
H264/H265/WIRELESS MOUSE

NVR

N-4416-4K

PREVIEW : 16CH 5MP/8CH 8MP
PLAYBACK : 1CH MAIN ,
16CH SUB/1CH MAIN , 8CH SUB
OUTPUT : 1VGA , 1HDMI
HARD : 1 HARD UP TO 6T
MOTION DETECTION ,
H264/H265/WIRELESS MOUSE

NVR

N9232

PREVIEW :32CH 4MP/16CH 8MP
PLAYBACK : 1CH 8MP/2CH 5MP
OUTPUT : 1VGA , 1HDMI
HARD : 2 HARD UP TO 6T
DUAL LIGHT SUPPORT
FACE DETECTION ,
H264/H265,H265+

NVR

N-4532-4K

PREVIEW : 32CH 5MP/16CH 8MP
PLAYBACK : 8CH 5MP/1CH 8MP/
OUTPUT : 1VGA , 1HDMI
HARD : 2 HARD UP TO 6T
MOTION DETECTION ,
H264/H265/WIRELESS MOUSE